

24.IV.1957 - 3.V.1957

6165.

24/4/57. 6156.8. Coonan ble. Plain
Macrotoma sp. 16, *Troggattina australis*,
with shallow dry watercourses
Pectesia hospita, *Oedaleus australis*,
Coolabah with occ. *Populi folia*,
Phaulacridium littoratum, *Aiolopus thalassinus*,
& mud orange on slightly higher
Elephantus quadriloculus, *Acrida conica*,
ground such pale sandy surface
~~Ground no. 5 sp.,~~ *Zabalaia rosewood* sp. 1
soil, leading to Coolabah
ultimately treeless plain on
strongly self-mulching dark grey
soil with *Bassia quinquecuspis*,
Oedaleus, *Chort.*, *Austacris guttulosa*

(j)

6176 Wangadee turn off

6186. E. largiflorens with some
Bermius sp., *Cedarnia* sp., *Aiolopus*,
coolabah, *Populi folia*, *Casuarina*
Malassinus, *Cryptobothrus chrysophorus*,
Lepidophlora &c. *Glyceria* + *Acacia*
stenophylla on broad low-lying
area on grey self-mulching soil
with *Paspalidium jibiflorum* to
3 ft, sedges, *Marsilea* + flea-bane.
Oedaleus, *Acrida*

6199 Castlereagh River

6209. Strongly self-mulching chocolate
?Percybrana sp. 1 (j.)
 soil plain with dense even
 stand of *Astrobla lappacea* ~
 dichanthium scribneri; widely
 scattered myall, rosewood, &
 currant bush. *Acicopas*, *Austroacis*
guttulosa.

6227. Walgett

6230. Leave Walgett.

233. Barwon R.

234. Bretiarina tum-off.

241. Coolibah was plant to 25 ft on
Zabraea sp. 1, *Acicopas thalassinus*,
 grey self-mulching plain. *Bauhinia*,
Elephantus quadrilobus (j.), *Cedarmia* sp.,
Lirocarpus & other basistas to 1 ft.
Eucalyptus nov. 5 sp.
 various grasses to 6 in. Chort.

Acrida.

257. *E. populifolia*, *Callitris glaucia*,
Macrotoma sp. 16, *Eucalyptus nov. 5* sp.,
 & *Eucalyptula mitchellii* on red
Heteropeltis obscurella (j.), *Cedarmia* sp.,
 sand. Undulating fringe of
Moraine sp.
Murilla tabularia. *Aristida*

to 1 ft.

jericocoensis, *Sriagrostis lacunaria*(?)
 to 9 in., & *Digitaria brownii* to 1 ft.
 forming fairly dense cover.

Patches of *Themeda australis*
Morabia amongst *D. brownii*.
Oedaleus, *Chort*, *Pycnoctites*
seriatus.

6259.6 Cumboorah

260. E. melanophloia to 25 ft. woodland
Macrotoma spp. (3), *Austrocris guttulosa*,
 with occ. *populifolia* + *Argophora*
Oedaleus australis, *Pycnoctites seriatus*,
melanoaylon on tableland of red
Cedamia sp., *morabine* sp., *Heteropternis*
 sand with white gravel av..
obsorella, *Scarus* nov. 95 ochracea.

dean. 4 m. *Troxidia mitchelli*,
Anisrida jucocoensis + *Themeda*
australis about equally abundant
 all to 2 ft. *Macrotoma* in
Troxidia, *Morabia* mainly herbaceous.
Troxidia on *Euphorbia* sp., *Digitaria*
brownii + *Bassia lichenii*. *Pycnoctites*
seriatus.

269. E. populifolia, kuddah, some

22

Sophantus quadrilobus, occ. *Cedarmia* sp.,
wld. white wood, wld orange
Macrotoma sp., Genus nov. 5 sp.
+ currant bush on undulating
country with red-brown soils &
mottles. Platonic stones up to 6 in. diam.
& fine gravel. Sparse ground
cover of *Seda* sp., *Bassia bicornis*,
Eragrostis sp., + *Digitaria koowarie*.
Dedalurus, *Chort*, *Pycnostictus*
separatus.

6285. Narau R.

295. Ridge on strongly self-mulching
Chortoictes terminalifera
dark grey soil plain, with dense
Sporobolus sp., *Eragrostis* sp.,
Astrobila sp., *Atriplex leptocarpa*
& *Bassia graminicarpa* all to
1-2 ft. *Diplotaxis*, *Australis* gulf (f)

296. Brewarrina turn-off.

313. Goodooga

25/4/57. 313. Goodooga.

with some
317. *E. populifolia* / coolibah + giant
Acacia conica, *Chortoictes terminalifera*,
occ. wld orange on pale brown

Pedalium australis, *Pycnostictus seratus*,
 silt loam plain. Good cover of
Siphonotus quadrilobatus, *Macrotona* spp. (2)
 many species of grass, *Bassia* &
Astrotrites pusilla, *Genus nov.* 5 sp.
 annual *Hippocratea*. some eroded
 bare patches. *Austroacris guttata*. (j)

Hebeopteris (j), Aiolopus

325. Whitewood, leopardwood, occ.
Zizyphus spp., *Austrocytisus* mulga
 but wood, *Venitago viminifolia* of all
pusilla, *Strophio* sp., to 15 ft *Macrophyllia*
 to 20 ft, *Acacia victoriae*, *Cassia*
 sp., *Chortoicetes terminifera*, & *Aiolopus*
 sp. to 6 ft, *Rhagodia* sp. to 3 ft,
Thalassinus, *Genus nov.* 5 sp., *Morabina* sp.
Capparis lasiocarpa (?); *Dichanthium*
sericeum, *Sporobolus caroli*, *Chloris*
buncata to 1 ft, some *Hippocratea* sp.,
^{coarse} *Trichium* sp. & *Bassia* sp. Pale brown silt loam
 plain. *Acrida*, *Austroacris guttata*
 (j). Moraba associated with the
 chenopods.

339 Hebel

343. Atalaya to 25 ft., Venitago,
Zizyphus sp., *Froggattina australis*,
 mulga, rosewood, leopardwood,
Peakesia sp., *Cedania* sp., *Macrotona*
 bimboef, on brown sandy loam
 spp. (2), *Hebeopteris obscurula*,
 plain. *Bassia decumbens* abundant
Pycnostictus seratus, *Genus nov.* 5 sp.

with *Chloris aciculans* & a few small
*Bassia*s & *Atriplex*. *Oedaleus*,
Arida, *Crot.*, *Austromiris gutt.*

355 Booligat, Caloomah turn-off.

357 River King? Bridge.

359. *E. melanophloia* with *Eragrostis*
Strophis maculosa, *Goniorea* sp., *Genus nov.*
sp. on lateral residual with
 28 sp., *Holopodus thalassinus*, *Macrorhiza*
 gravelly soil & some rock
 sp. 16, *Genus nov.* 5 sp.
 exposure, leading down to
E. Populifolia, with some *Atalaya*,
Kigera, *Sentilago*, wild orange, on
 brown sandy loam. *Chloris* sp. +
Bassia ^{dense} rising to 1 ft. *Arida*,
Oedaleus, *Pachystichus seratus*,
Austromiris guttulosa.

380. Dinanbandi

384. Coorlibah + E. lessertiana on
Holopodus thalassinus, *Heteropteris*
 pale sand overlying self-mulching
obscurella, *Foggattia australis*,
 dark grey soil along Bokhara
Pachystichus seratus, *Genus nov.* 5 sp.
R. Aristida sp. + *Orchanthemum*
sericeum, a little *Heichrysum*.

Acenda, Oedaleus.1396. ~~Balgownie R.~~ crossing

400. E. populifolia to 30ft, with
Morabina spp. (2), *Peakesia* beldah to 10ft,
Acacia excelsa to 20ft, with
 sp., *Froggattina australis*, *Monistria* sp.,
curlga, *Caltiris glauca*, & occ. wild
Pycnostichus seratus, 10-15 in. *Cedarnia* sp.,
 orange. *Aristida* sp., *Eragrostis*
Macrotoma sp., *Elephantus quadrilobus*,
Lacuna sp. (3), *Bassia leichlinii*,
Grevillea nov. 95 sp., *Genus* nov. 5 sp.
Rhagodia sp. (both sparse). *Morabina*
 associated with *Bassia* + *Rhagodia*
 under trees. Red sand. Oedaleus,

Acenda, Pyrostrephus seratus*Paratettix australis*, *P. nigrescens*

428. St. George

26/429 St. George (leaving)

444. Gently undulating red sandy loam
 sparse *Elephantus quadrilobus* (j.), *Genus*
 with purple limestone gravel. E.
 nov. 5 sp., *Monistria* sp., *Macrotoma* spp. (2) (15 ft)
populifolia to 40 ft. with beldah,
 (15 ft) *Cedarnia* sp., *Peakesia* sp.,
curlga, *mlga* (20 ft) *Dodonaea* sp.
Heteropeltis obscurella, *Macrolophobia*
 (6 ft), *Cassinia* sp. (3 ft). Sparse grass
 (*Chloris* & *Aristida*) sp., *Acidea conica*
 (buff ground layer) to 9 in., occ. *Sida*,
Rhagodia, *Bassia leichlinii*. Oedaleus,
Pycnostichus seratus, *Froggattina*,

Austrocris guttulosa.

461. Turn off to Waroo Bridge
Grevillea nov. 5 sp., Cedarinia sp.,
 464. Thinned E. populifolia (20ft),
Heteropteris obscurella, *Sonacea* sp., *Froggattina*
buddah, occ. *Milga*, currant bush, on
australis, *Chortoicetes terminifera*, *Macrotoma*
 pale brown sandy loam with
 sp. 16, *Oedaleus australis*, *Ephandus quadrifolius*
Aristidea & *Chloris*. Acrida, Pycnoschem
stratus.

484. Undulating red-brown sandy
Macrotoma sp. 16, *Grevillea nov. 5 sp.*, *Cedarinia*
 loam with a little surface
 sp., *Peakesia* sp., *Pycnostictus sexatus*,
Latentia gravel. E. *populifolia* (20-
 ft.), *Heteropteris obscurella*.
 ft.). *Bauhinia* sp. (spec.) (20ft),
? Bauhinia canescens F. Muell.
 buddah, occ. *Milga* & currant bush.
 Good ground cover of *Chloris* sp. &
Dichanthium sanguineum, occ. *Bassia*
bicornis, other *Bassia*, + *Rhagodia*
 sp. Aiolopus, Chort., Acrida, Oedaleus,
Austrocris gutt., Froggattina.

489. Werdona bk.

496. *Bauhinia*, occ. *Grevillea myall*,
Cedarinia sp., *Austrocris guttulosa*,
rosewood with orange *Capparis*
Froggattina australis all
Lasianthus (?), *Lulah*, very widely

spaced on rolling blue-grass downs.
 Soil chocolate, strongly self-mulching. Pasture dense, to 1 ft.
Aiolopus, Chot., Acrida

6302 Surat

513. *E. populifolia* to 40 ft, mulga, (15)
Cedania sp. (15 ft) *Hoggattina* (25 ft)
 occ. rosewood, buloke, boddah (10 ft),
australis, *Rapsilla fusca*, *Heteropsternis*
 with numerous small thorny
obscurella, *Grewia* nov. 5 sp., *morobine* sp.
 Scramble sts 3 ft (8 pc), tussocky
Carissa ovata R. Br.
 grasses to 2 ft, occ. *Bassia*
bischii. On pale brown sandy loam
 rise. Chot. *Pycnoctenus sinatus*

522. Join Cardamine Hovey.
Heteropsternis obscurella, *morobine* sp.,
 529. *E. populifolia* to 40 ft, occ. *Acacia*
Cedania sp., *Maniotria* sp., *Hemionov.* 65 sp.,
excelsa, boddah, pale. Coarse
Grewia nov. 13 sp., *Henda conica*, *Peakesia* sp.
 grasses to 3 ft. Pale sandy loam,
 undulating. Oedalea.

538. *Thunbergia lab* (Vergalour).
Elephantus quadrilobus, *Macrotoma* sp. 16,
 mulga, on grey-brown self-
Aiolopus ~~fuscus~~, *Hoggattina australis*,
 mulching soil, undulating.
Rapsilla fusca.
Dichanthium strigatum to 18 in.

Cedarnia sp.

occ. *Dalsola Kali*, *Bassia quinquecuspis*, *B. kirkii*, *Kochia* sp.

6545. Rolling blue-grass downs.

Cedarnia sp., *Holopogon halassinus*,
Grey-brown self-mulching soil.
Morabina sp., *Froggattina australis*

Scattered *E. populifolia*, and, along
shallow watercourse, *E. canaldul-
ensis*(?) (spec.). *Oedaleus*, *Chort*,
Acrida, *Pycnostictus scribatus*.

Occ. *Bassia kirkii* & *B. quinquecuspis*.

Morabina amongst grass under

E. canaldulensis(?).

549. Roma

550 Roma (depart) 27-4-57

561. Under laking pale brown loam.
Morabina sp., *Genus nov. 5* sp.

E. populifolia to 50 ft., culigr. *C. glauca*
hundah. Ground layer of mixed
grasses to 18 in., hundah regrowth
abundant. *Heteroplitis*.

573. Sandstone outcrop, with *E.*
Heteroplitis obscurella, *Oedaleus australis*,
E. populifolia, *C. glauca*, occ. *E.*
Cedarnia sp., *Genus nov. 5* sp., *Pedinaea*
melanophloia + *Angophora lanceolata*
musgravei

- A small shrub & a wattle, both
to 5 ft., sparse grasses to 18 in.
- 597 Rd. junct. R. to Toorakie, L. Insane
- 590 Left. Turn off to Ashfield ~~4 mi~~
- 592 Left. Turn off to Bymount.
- 595 Thru' S. Belah (30 ft) kuddah,
Froggattina australis
mulga, occ. E. *populifolia*, myall.
Sparse grasses to 6 in.; esp. on low
Forstera sp., Kochia spp. & *H. filiformis*
sp. *biplacata*.
- 598 Gunbarrow.
- 605 Langwarrin
- 609 Insane
610. R Turn to Baffle Cr. ~~24 mi~~
612. Undulating pale brown sand,
Austrocirosbasalis, *Heteropteris obscurella*,
lower. E. ? *blackyi*, occ. E. *populifolia*
morabine spp. (2), *Grinus nov.* 65 sp.,
E. *mitchellii*, *silcia*, *triglochin* & a violet
Ascodura musgravei (?)
media, *Dichanthium sericeum* &
strigosa sp. both to 2 ft. & easily
blown, in places a thin cover of
Heleocharis sp. to 6 in. *Callitrichis*

- Morinda associated with sand.
- Ceratopeltis group with limestone.
- Polygonatum seriatum, Oedaleus.
- 6319 Hutton bk.
626. Anigozanthos lanceolata, E.
Monistria sp., *Phaulacridium vittatum*,
Blattella (?) , *E. heoscillans*, *C. glauca*,
Ptychoscelis seriatum, *Froggattina australis*,
ee. *E. melanophloea*, *lepidola*,
Psidium *musgravei*, *moraibine* sp.,
E. populifolia. A broad-leafed blade
 with little fragment to 10 ft. Miscellaneous
 grasses to 2 ft., *Helichrysum*, *Aciclospora*,
Oedaleus, Heterophemis. Underlying
 pale sand.
632. ? Baffle Creek. Sand dune ridge.
Pantelleria albovirens, *P. femorabis*
 stagnant water.
633. Black Ridge slope, with *E. melanophloea*,
Cedaria sp., *Monistria* sp., *Tomarea* sp.,
Anigozanthos lanceolata, *C. glauca*,
Moraibine sp.
- Cassinia* sp. & *Leucosperma* frequent
 to 8 ft. *Themeda australis*.
- Bromelia* sp. to 2 ft. *Helichrysum*
 occasional.
649. Eucalypt, rough bark to 10 ft.

Pseudosassa musgravei (f.), morabine 31 (3 spp.),
the lower part of the tree, leaves
Monistria sp., *E. exserta* F. Muell.
sight, glaucous (20 ft) ~~with~~ (spec.)
Macrotona sp. (spec.) *Heteropteris*
with ~~marked~~ with broad yellow-
obscurata,
green leaves & grey, & light blue, flaky
bark. The rainfall varies from
Acacia macradenia Benth.
shrub (20 ft), ~~one~~ another (spec.)
to 6 ft. Soil pale sandy on
a flat of rice, how shrubs of
Prostanthera euphrasioides Benth.
deciduous (spec.) to 10 ft common, also
Cassinia sp. to 10 ft, *Lionelia*
macrorhiza with blue bark. Various
weedy grasses on surface to 3 ft,
mainly 1 ft. *Cirphula* (sp.)

652. Underlapping, pale sandy soil,
often cemented, morabine
with scattered gravel to 1 in. *E. brachyphloia* F. Muell.
E. racemosa (?) (spec.) 2 ft. (spec.)
(gray bark to tips)
(spec.) to 20 ft. Well mixed species
understorey. Of mixtures &
Tridax sp.
affines of *Trochidea* sp. (spec.) &
miscellaneous & ericoid shrubs
to 1-3 ft. Moraba on shrubs.
Austrocaris guttulosa.

655. Far south.
224. 656. Part camp.
657. Hilltop. Pecos River valley.
- E. beccariana, E. melanophloia, &
Austromyrsinella basalis, Calidea captiva,
etc. E. maculata to 6 ft. Numerous
Macrotoma sp., Heteropteris obscurilla,
shrub to 10 ft., including the
?Methiola sp., morabunus)
Thornay. Scrubby & weedy localities,
etc. Macrozamia to 10 ft. Grasses
3-4 ft., some forb. Scirpus
664. Sheeprock, Taos, in place.
Monstia sp., Macrocarpa conglobata,
E. racemosa, E. melanophloia,
Clipsydria sp., morabunus gray-barket (3 spp.),
Rock. E. maculata, & woodwood,
Psednira integrifolia, Macrotoma sp.,
etc. to 7 ft., scattered shrubs of
?Peribellia sp. (j.)
Gilia diffusa (Coccinea to 10 ft.).
Daviesia filipes Benth. Succowia sp.
spec. 1 ft. 3 ft common in patches
to 3 ft. Haloragis elata A. Cunn.
etc. 3-6 ft. erect. Large in patches
Dodonaea triangularis Lindl.
1 ft. common. D. sp. in patches
to 9 in., scattered grasses to 2 ft.
Psychotria cupressoides
habitat as at earlier stop in
patches to 2 ft. More has mainly
associated with spec. 2, Monstia

- with limestone (Proterozoic) ...
6669. Priacanthus + taenioflexus ~~sp.~~
Monistria sp., Cedarmia sp. Burdett
 broad tree to 50 ft, vulgaris 15 ft,
? Methiota sp., Stenocatantops angustifrons,
 occ. bottle tree, other Acacia,
Chortocetes herminiera, Cryptothecas
albida tree to 10 ft. Acacia,
Clipsophorus, Astracis ? proxima, Rapsilla
Decaisnei, He Vallanza coerulea
fusca, mora vine
 Kelly's chocolate, purple soil.
6681. Turn off. Left to Lancaster Gorge.
 River at this point.
685. Underlying pale brown sandy
Cedarius australis
 loam. E. melanophloia, E. populifolia
Dichrostachys
folia to 40 ft, burdett + 2 spec.
spicata (T. Muell.) Donin
 to 15 ft, vulgaris to 8 ft, pinkly
 scrambles 2 ft, gracilis to 15 ft.
Heteropeltis ?, Fragaria ?
104. E. melanophloia, E.
Maerotoma sp. 16, Abractomorpha similis,
pepsi sp. 16, 20 ft, occ. burdett,
Biophytus thalassinus, Fragaria ?
australis var. 34, tree 10 ft.
 Grasses dense tufts from 6
 to 2 ft. Cedarius, Heteropeltis ?

6/27. Left T.O. to Peet's Dome.

7/19. Collection.

7/23. Falling, brown & leafy foliage.
Lousta migratoria, *Austracris guttulosa*,
 leaves of all the trees living soil
 A. ? produce, Genus nov. 21 sp. 1, *Piolopus*
Deltaria, *Thomomisus*, *Domina* and
Thalassimus, *Heteropternis obscurella*,
 and some other grasses, all the
 moraine

2 ft. growing almost completely
 over very difficult to walk through
 with rough leaf litter, pinkish rock.
 Black topsoil has been washed off on
 the ground on the moraine.

7/28. Later Ch.

7/31. Falling, black, sparingly soil -
Austracris guttulosa, Genus nov. 21 sp. 1,
 mud during 20. 1. Dark soil floor
Piolopus Thalassimus, moraine
 covered with other grasses after 2 ft.
 Soil with many stones about
 of basal old lava. Coarse
 gravel. *Heteropternis*
 widely spaced *E. laevigata*.
 Less common rocks than soil with
 no stone & 20. 1. E. can be seen.

7/47. E. mulanoplaca & broadleaf

at saw over head slopes
in soft iron loam, slopes of hill.
Austroacris guttulosa, *A. basalis*,
Perbellia sp. (j.), *E. racemosa*, *E. humphreysii*,
Froggattina australis,
Walteriania sp. (j.), *P. sp.* from
soil, *Perbellia rubra*, species
of *Thomomisidae* up to 5 ft.
Hicks.

6750. Step sandstone slope, with
Austroacris basalis, *Stenocatantops*
much exposed rock. *E. racemosa*,
angustifrons
the S. 15° E. up to 5 ft.,
1760 ft.
Macchia with an *Acacia* with
broad glaucous phyllodes to 15 ft.
& *Cassinia* op. to 5 ft. On summit,
same species, the *Acacia* very
thick with a *Tradescantia* with
long & very pointed green leaves
forming the ground layer.

752 Mt. Sirius range. Top of ridge
Austroacris? *prosama*, *Perbellia* sp. (j.),
all of clayish loam on
moraine
basalt with exposed rocks
E. racemosa, *E. humphreysii*^(?)
bloodwood to 25 ft., with

Macrogamia to 10 ft. Dense.
Number of trees at a time
varies but often fully 10-30 ha.
Asterolasia

6764. Springtime.

764 Spengswey deposit 29/4/57

770. E. populifolia, E. canescens,
Heteroptris obscurata, Macrotona
to soft, with some boga loo, mulga
sp. 16, Froggattina australis, Cedarinia sp.
boddartii, prickly serrulae, Thunbergia

grey to am. Grasses 6-18 in.

Aiolopus.

774. Elmwood.

780. Rolling black soil slopes with
Yucca nov. 13 sp., Aiolopus thalassinus,
numerous basalt stones, art.
Cedarinia sp., Calocodia captiva, (?)
diam. 4 m. well spaced E. hemiphloia
Macrotona sp. 16, moraine
& bloodwood to 30 ft. Dense, even

pasture of Acanthium sericeum,
Eulalia fulva, & a little Themeda
australis, all to 3 ft. Heteroptris.

782. Foothills.

790. Slight depression in rolling

Locusta migratoria, *Aclopus*

37

black soil downs. *Dichanthium*
thalassinum, morabine
sericeum, *Lacistema* sp., *Panicum*
sp., dense to 3 ft. Patches of *Acacia*
? victoriae to 6 ft.

6791 Cindie

799. *E. populifolia*, with some
Cunninghamia,
Bauhinia sp., *E. nillanophloia*,
smooth-barked bloodwood (rough
(or *E. papuana*?),
at base) see. brigalow, bottle-tree,
to 50 ft. Buddah, eucalypt, other
Phyllanthus sp., *Pittosporum* sp., *Bursaria*
small trees or shrubs (spec. of ?)
spinosa Cav. ? *Mitchella* sp., *Psychotria*
prickly scramble abundant;
seriatop, *Froggattina australis*, *Macrotoma*
entomophaga var. *solida*, *Grevillea*
sp. 16, *Stereocaulon* *angustifolium*,
to 3 ft. Brown fine sand & loam.
Austromiris ? *proxima*, *Caledia captiva*.
Under-lining. Klebsellaceae
Anthonomus signatulus

805. Emeralds

806. heath Emeralds

819. Under-lining black soil,
Aclopus thalassinum
with *Dichanthium sericeum*
& *Panicum* sp. dense 1-3 ft. Oc-

Acacia victoriae. Austracis
gibbosa, hirsuta; latter
numerous.

6826 Glendamwill

832 Anatie

835 Anatie Range. E. racemosa,
Austracis? basalis, Peatonia sp.,
smooth-barked Ego urus (E.
Cedaria spp. (2), (or E. papuana?).
Dichromosiphonia (?), Acacia shirleyi
tonica sp., ? Mitchella sp.,
(all to 25ft) with Ocotea ~~lutea~~ "N.T."
Cassinia sp. aff. C. brownii F. Muell.
ironwood (spec.) to 15ft. & heath.
Pycnostictus sericeus
Dicharthrum, Themeda & Aristida
spars. to 3ft, some large dicot.
herba. Under-lining, some large
stones. Heteropteris, Siolopas

844 Ridge with brown ^{fine} sandy
Heteropteris obscurula, Cedaria sp.,
loam & a few stones at summit.
Perbellia sp. (j.), Macrotoma sp. 16, Siolopas
E. melanophloea to 20ft. v. occ.
Thlaspi

E. leucophloea (?) Dicharthrum
sericeum, Themeda australis
to 2ft. Froggattia.

6845 Siding

852. Ridge with brown loam.
Macrostoma sp., *Cedarnia* sp., *Holoporus*
 somewhat shiny, *E. melanophloea*,
Thalassius, *Caledia captiva*
 scattered to 75 ft., occ. boulders,
 prickly scrubbs. *Heteropteris*.

853 Willows. Sta. Railway.

869 Bogantungan

870 " " 30/4 deficit.

872 Rocky hill slope with pale
Sonica sp., *Austrocynodon*? *bassalis*, *Caledia*
 brown loam. *E. vaccinum*, occ.
captiva, *Heteropteris obscurilla*, ? *Methiola*
E. melanophloea, to 20 ft. Several
 sp. A: *Hakea lorea* R. Br. B: *Santalum*
 shrubs & small trees to 15 ft.
caneculatum R. Br. C: *Dichrostachys spicata* (F.
 specio. A - F) widely spaced.
Muell. Soniv. D: *Scutellaria spinescens* R. Br.
Gelilia pulva & *Themeda* occ. boulders.
 E: *Petalostigma quadriloculare* F. *Muell.*, var.
 to 2 ft. *pubescens* F. *Muell.*

882 Rail. Sta.

886 Undulating pale brown loam
Peakesia sp. (?) *Cedarnia* spp. (2),
E. hemiphloea to 30 ft., with boulders,
Heteropteris obscurilla, *Macrostoma* sp.,
wilga, *Ven. bilago*, *Bambusa*,
 occ. *Pycnostachys serratus*, morabine,
Kunyung, *Acacia coccolosa*,
Acacia spinosa, spec. D, prickly scrubbs.

Dichanthium sericeum, *Themeda*

australis, to 3 ft, *Chloris*
bimacata, *Euneapogon* cf. *Aiolopus*
Moroba on *Chloris* + *Euneapogon*.
900. Gently undulating red-brown
 sandy loam. *E. lemanni* sp., *E.*
~~*papuana*~~^(?), *E. melanophloia*,
~~*E. populifolia*~~, *Acacia excelsa* Benth.
 occ. *E. populifolia*, *Acacia* sp.,
 spec. *D*, all to 30-40 ft, with
 mulga, *Lantana*, *Acacia*, *Alstonia*
constricta, spec. *D*, *Leptospermum*,
Scutellaria sp., small trees. *Eulalia*
furva, *Themeda australis*,
Chloris sp., *Aristida*, to 1-4 ft.

Heterophenia

900.9 Dry Top

914 Alpha

916. Plain with red-brown sandy
 loam. *E. lemanni* sp., *E. papuana*,
~~*Aiolopus thalassinus*~~, *Macrorhynchus* sp. 16
 at sav. woodland density, to
 40 ft. occ. *E. melanophloia*. *Aristida*
juncoides of uniform density

to 3 ft.

932 Beta

E. polycarpa F. Muell.

934. *E. terminalis*, another bloodwood
Aporopis sp., *Rusaria* sp., *Macrotona* spp.,
 with fluffy mounds - 90 cm. to 1.2 m.
 mordaine, *Acacia cunninghamii* Hook.
E. melanophloia, others & a wattle
Adappa sp., *Grevillea pteridifolia* Knight
 (spec. T), occ. desert oak (?) (spec I),
Acropia thalassina, *Astragalus* ?*bosalis*
 Kurrajong, and other common, or
H. reptatoria excessa Reisset ex Kindt.
 small trees (eg. spec. H)). *Eulalia*
fusca, *Themeda australis*, *Aristida*
fimbricollis, to 3 ft., *Trodia* sp.
 (spec.) in patches. ~~Acacia~~ *Trodia* sp.
 & *Macrotona* on *Trodia*. Gently
 undulating red sand. *Heleopternis*

942. Mulga scrub to 15 ft. on
 granite. 5 sp., *Doggartia australis*,
 under laburnum canopy of Eudaimon
Macrotona spp. (2), mordaine
 Range. Pale brown dusty soil
 with fine lateritic gravel. Sparse
 pasture of *Eragrostis lacunaria* F. Muell.
 & *Aristida* sp., to 9 in. Occ. E.
polycarpa, *E. racemosa* & E.
melanophloia overtopping the mulga

Thryptomene sp. or *Nicromyrtus*
sp., *Calotrix longiflora* F. Muell.

42

~~Heteroptris~~. Morales on *Eragrostis*.

6748 Jericho

961 Spinigale

E. similis Maiden (spec.)

964 - yellow-backed Weevils & E.
Microla sp., *Macrotoma* spp. (3), *Apostropis*
hennemanni to 25 ft. Vascular
sp., genus nov. 95 sp., *Leakesia* sp.,
Acacia & other shrubs to 4 ft., a
Heteroptris obscurilla, *Grevillea* sp., moraine
Hebecladysum, & *Triodia*. Red-brown
sand on broad rise. *Heteroptris*,
Austroacris basalis.

974 Rail Siding

977 Gentle slope. Pale brown
genus nov. 7 sp. 1, *Macrotoma* spp. (2),
Paradry soil with some
Ruspolia sp., genus nov. 5 sp.
Lenticular gravel. *E. parvifolia*
to 25 ft., see. Kuddah, Acacia
excellens, *Arisaema* to 2 ft., &
prob. *Triodia mitchellii* Benth.
Triodia sp. (spec.). *Macrotoma* &
Ruspolia in *Triodia*.

979 Lochmagar - sand

985 Slightly rough plain with
Macrotoma sp.
large patches of *Triodia* sand down
to 9 in. (except inflorescences). Only

widely

other plant scattered shrubs of
Mesoporum? monilium to 6 ft.

69.90. Green

7001 Barcaldine

7002 Barcaldine 1/5/57 depart

007 Alice River

Macrotoma sp., *Macrogelota* sp. (j.),
013. *Sedgea* some to 15 ft. dense,
Cedaria sp., *Macrolophia* sp., *Rapsilla fuscata*,
 some *Leptothrix*. A shrubby *Rheogodes*,
Coryphistes sp., *Austrocis-guttulosa*, *Acicopus*
 to 4 ft., *Bassia* *leucotricha* & others,
Thalassinus, *Heteropteris obscurella*,
Promeces, *sparsa*. ~~Habenaria~~ *Acrida*,
Zabala sp. 1, *Spallia* sp. (j.), Genus nov. 5 sp.,
 grass spars to 9 in. Genus nov. 13 sp.

018. Left Town to Kyatton

031. Grey-brown heavily self-shaded -
Acicopus Thalassinus, *Zabala* sp. 1,
 very few (ashy leaves) with
Peckisia sp., *Heteropteris obscurella*,
Dichanthium sericeum & *Acacia*
Austrocis-guttulosa
 acacia leaves to 2 ft. Plain with
 widely spaced *Acacia cana Maiden*
 (?) (spec) to 20 ft., *Heterolepidota*,
Acacia farnesiana (L.) Willd.
 to 10 ft., + *Acacia* sp. (spec) to 4 ft.
 Chort.

049. Ecotone between ridgea on

brown loam with a little
Macrotoma sp. 16, *Zabrus* sp. 1, *Genus* noo. 5
 gravel & brown silt - soil along
~~sp.~~
 plain - ridge, *Hindia* ssp.
Heterodendron, *Gigja*, *Acacia*
savidentis, Honey acacia from
 back strip all present but
 widely spaced *Dichrostachys*
cinereum & other grasses, etc.,
Passia quadrangularis sp. *Aiotopus*,
Heteropteris.

70.51 Skeleton Ck.

054 Douglas Ponds Ck.

068 Blackall

078 Bloodwood, rosewood, *Acacia*
Aiotopus malassinus, *Locusta migratoria*,
Mesembryanthemum, *Plumbago*, *Ipomoea*,
Scaevola spinosa.
 D, waterlily, with *Dichrostachys*
cinereum, *Eulalia fulva* to 3 ft.

Heteropteris.

094 Barcoo River

100 Brown sandy loam plain
^{*Monistria* sp.}
E. populifolia, etc. *E. melanophloia*

Cedrelus australis, Heteroptronia 45

both to 40 ft., with Loddigesia,
obscurilla, Cedrelia spp. (2), Zygoleta sp. 1.,
rufga, Bauhinia, to 15 ft., Tecoma,
Aichryson thalassinum, M. porum
nearby. To left, small Acacia sp.
deserti A. Cunn., Macrotoma sp. 16, Peakesia sp.,
(spec.) under trees. Microstachys curviflora no. 13 sp. 2, Zygogynia australis,
(spec.). Chloris truncata rather
moraine.

short grasses to 9 in. Acrida.

7/12. ~~Leaves~~ Porcupine self - my Leaning,
Zygoleta sp. 1, Chortoicetes terminifera
non - gracilis sp. plain, with Pithecellobia
pectinata (?) Pachyceratium olivaceum
dense to 18 in., rising slightly
to scrubby soil a little lower
self - my Leaning, with Carthamus
planus to 20 ft. Nicotiana,
Pistacia pirifera. ~~Crassula~~ ^{Forstifolia}
rock.

128. Grey-brown self - my Leaning
Chortoicetes terminifera, Zygogynia australis
soil & low, no grass. Pithecellobia
pectinata (?) in many places
bushy, rather well grazed
to 9 in.

130. Tambo.

2/5. 130 Tambo (deport)

145. Ridge ^{to 15 ft.} S. Malaya, rosewood
Acioporus thalassinus, *Dedalium australis*,
 kudah on grey self-welching
Zizyphus sp., grey self-welching
 soil at top of low rise (valley
 "Range") adjacent to down.

Dichanthium sejucum & patches
 of *Bassia quinquefida*.

158. Pale brown sand, loam on
~~lucus nov. 5 sp., genus nov. 13 sp.~~
 kudah area with *E. populifolia* to
Monistria sp., *Cedania* sp., *Pallidodon*
 30 ft., *Heterodendron*? Spec. D h
Pycnostictus striatus, morabine (2 sp.)
 kudah, Tambago, Bambusa &

Cunninghamia. Sparse growth
~~*Eragrostis lacunaria* T. Muell.~~
 of *Eragrostis* sp. (spcs.) to 9 in., with
 some taller grasses in fls.

+ some forbs. Occ. *Bassia leiochila*.
 Morabas on *Eragrostis*

170. Grey brown self-welching
Zizyphus sp. 1, *Acioporus thalassinus*,
 soil on ~~gullies~~ ~~and~~ ~~along~~
Chrosticetes hominifera
 plain with mainly *Bambusa*
 in spaced tussocks to 1 ft., occ.
Bassia leiochila + *B. quinquefida*.
Acrida.

Aciclopus thalassinus, *Peakesia* sp., 47

7182. Underlating brown sandy
Cedaria spp. (2), *Macrotoma* sp. 16,
loam. E. *Populus* folia to 50 ft.
Heteropteris obscurilla, *Foggattina australis*,
Aristida, &c. *Dianella* ~~leucostachys~~,
Pycnostichus seratus, *Lacunaria* Genus
patches of *Eragrostis* sp. (sp.)
no. 13 sp., Genus no. 5 sp., mordaines (2 spp.)
~~(20750)~~; *Bassia* *erecta* frequent.

Aciclopus, *Ochlearia*, *locusta*.

189 Nine River

192. E. *Populus* folia to 50 ft., with
Cedaria spp. (2), *Peakesia* sp., mordaines
rosewood, Spec. D, *Acrida*,
(2 spp.), *Foggattina australis*, Genus no. 5
Mulga, *Briegalow*, occ. *Mulga*
sp., Genus no. 13 sp., *Elephantus quadrifolius*,
Red-brown sandy loam, gently
Monistria sp., *Aciclopus thalassinus*,
underlating. Small and short:
Macrotoma spp. (2), Genus no. 95 sp., *Acrida*
Bassia *erecta*, *Hypoxis* sp.,
conica, *Heteropteris obscurilla*,
& others. *Aristida* + other grasses,
mainly to 6 in.: *Pycnostichus*
seratus, *Ochlearia*.

203 Augathella

208 Buranda Cr

209 Low granite outcrop. E.
Genus no. 95 sp., *Heteropteris obscurilla*,
Cantharanea to 60 ft., *Mulga* +
Cedaria spp. (2), *Peakesia* sp., *Dedalus*
Briegalow to 20 ft., *Acrida*, occ.

australis, Monistria sp., Genus nov. 13
mulga: Sparse blue cones &
sp., Macrotona sp. 16, Genus nov. 5 sp., Morabine
Hrostida sp. & Eragrostis sp.
 as before. Pycnostictus seratus,
Froggattina.

220. Mulga to 25 ft, slightly
Scimus nov. 95 sp., Genus nov. 5 sp., Bulldah
Hustum, ace. E. polystachys,
Macrotona sp. 16, Cedarnia sp.,
 On red sand, slightly undulating,
Monistria sp.
Eremophila falciformis to 3 ft, &
mulga regrowth. ~~Scimus~~
Newelina witchelliana
 ? grass about sp. to 9 in. giving
 a fair cover.

230. Flat with red-brown sandy
Cedarnia australis, Cedarnia sp.,
 loam. widely spaced E. polystachys-
Macrotona sp., Morabine
Eremophila to 30 ft, rosewood, Bulldah.
 Pasture composed of Chloris sp.
Chloris pectinata Benth.
 (spec. 1) to 10 in. with some
Chloris scariosa F. Muell.
Chloris sp. (spec. 2) & with Bassia
kirribilli under trees. Pycnostictus
seratus.

247. Brown fine sandy loam
 on flat. E. polystachys to 35 ft.

49

- Genus nov. 5 sp., *Troggattina australis*,
with occasional ~~rosewood~~
Chortoicetes terminifera, *Cadarinia* sp., *Aiolopus*
Chloris truncata, open, to 4 in.
Thalassius, *Morabine*
Bassia latifolia abundant to
2 ft.

7253 Charlville

254 3/5/57 Charlville deposit

279. Mulga, E. *Populifolia* to 35 ft.,
Cadarinia spp. (2), *Macrotoma* spp. (2), *Monistria*.
Waddah to 15 ft., a small ~~woody~~
sp., *Dodonaea terminalia* Lindl. *Peakesia*
shrub to 6 ft. (spec.), spaced grass
sp., *Aerida conica*, *Gomiala* sp., *Troggattina*
boulders to 9 in., on stony slope
australis, *Persbellia* sp., Genus nov. 5 sp., Genus
with brown sandy loam.
nov. 95 sp., *Heteropteris obscurilla*, *Oedaleus*
Oedaleus, *Pycnoscelus surinamensis*
australis, *Morabine*
(?), *Aiolopus*, *Chob.*

293. Gently undulating brown
Genus nov. 6 sp., *Monistria* sp., *Macrotoma*
sand. E. *hulai*, *Populifolia* to 20 ft.,
Acacia quindiuensis Benth. spp. (2), Genus nov.
a woody acacia (spec.) to 6 ft.,
28 sp., *Peakesia* sp., *Morabine* (2 sp.)
fairly dense in places. *Triodia*
marginalis N.T. Barbridge
sp. (spec.) throughout. The
Thryptomene (?) shrub as on
Alice Tableland and a small
Dierostylis weddii F.M. Bailey (spec.).
grey plant to 9 in. *Morabina* with

No clear plant association.

Saw a Pusapilia & a Eumeas (♂)

329. Red-brown sand plain. Today.

Cedania sp., Macrotoma sp., Dedaleus under living. E. populifolia to 50 ft, mulga + australis, Genus nov. 5 sp.,

ft, mulga, occ. Vast Lago. Brachypterus sciratus, Peakesia spp,

Alone from 7279 Common to 4 ft. Apostopsis sp., Goniaea sp., Genus nov. 28 spp.

Eremophila latifolia (?) occ. to Australis guttulosa, ? Genus nov. 68 spp

2 ft. Apocynum short grass. Patch

of Acacia hispida. Aristolochia,

Acacia, Fragrantia.

330. Boatman F. turn-off.

354. Red-brown sand plain. E.

Peakesia sp., Genus nov. 28 sp., Genus nov. 95 sp.,

Populifolia to 35 ft, occ. E. melanocarpa Genus nov. 5 sp., Macrotoma sp. 16, moraine to 2 ft.

phlora, mulga. Arctida jorchoensis,

Neurachne mitchelliana Nees especially some Neurachne (spcc.) under

trees. Heteropteris

383. Turned E. populifolia, mulga

Pycnostictus sciratus to 30 ft, with mulga regrowth.

Paracium sp., Dense Digitaria sp., Paspalidium

gracile, patches of Themeda

australis. Dedaleus. Red sand,

flat.

385 Red forest. (Cunna rd.)

388 Theodore Park.

391 Brown sandy loam, gently undulating. Boundary of ridge Dedaleus australis, Macrotoma spp. (?) Genus nov. 95 sp., ? Genus nov. 68 sp. mulga) and E. populifolia, mulga, to same height. Paspalidium gracile, Eragrostis sp., to 9in., Bassia birchii to 18in. Prolobus,

Acrida, ch. t.

414 Bollon

414 Bollon. depart. 4/5/57

415. Red-brown sandy loam, slightly undulating. E. populifolia to 50ft, Cedaria sp., Ptychosperma serratus, Genus nov. 95 sp., Genus nov. 5 sp., Heteroptrum occ. Linddah, Heberodendron obscurum, Dedaleus australis, Arostida juncoides to 2ft, with Digitaria sp., Eragrostis sp., * Nhodinea mitchelliana Mosadore; occ. Bassia birchii & Bassia & Phragodia spp.

422 Turned off from St George Rd.

7426. Red sand plain. *E. intertexta*,
Goniaea sp., *Coryphistes* sp., *Macrotoma* spp. (2),
 to 70ft. with some mulga; Belah,
Elephantus quadrilobus, *Genus nov.* 28 sp.,
edalsa, *leukobah*, and *Cassia*
morabinae
 sp. (to 5ft, fairly dense in patches).

Paspalidium
Aristida juncoides, *Zizaniopsis*
 grisea (R.Br.) Hughes *mitchelliana*
 sp. (spec.), *Murachne*, occ.

Sida sp. Moraba on *Paspalidium*.

434 Turn to Argyle 12 miles (Right)

441. Slightly depressed area with
Austroacris guttulosa, *Cedarsinia* sp., *Monistria*
 slightly self-mulching grey-brown
pustulifera, *Macrotoma* spp. (2), *Genus nov.*
 soil with galgai. Belah, E.
 5 sp., *Bernius* sp., *Froggattina australis*,
Populifolia, to 40ft, with mulga,
 spec. morabines (2 sp.)
 Buddah. *Dichanthium sericeum*,

Chloris sp., with couch in the
 galgais & *Passia leptocephala*
 abundant in patches. *Acropus*,

Dedaleus, *Acinda*, *Froggattina*
 Moraba (small) associated with *B. kirchii*.

456 Brown sand, tree country.
Macrotoma spp. (2), *Peakesia* sp., *Uncosia*
E. populifolia to 70ft, *bulloke* to
guttulosa, *Genus nov.* 95 sp., *Dedaleus*
 40ft, Buddah, occ. pine, *E.*
australis, *Cedarsinia* sp., *Genus nov.* 5 sp.,
intertexta, *leuwood*, *bloodwood*
 (75 m above)

Pycnostictus seratus, morabia 53

(150ft), *Heterodendron*. *Aristida*
juncoides & "Paspalidium"
to 2ft., occ. *Sida*. Morabia on
"Paspalidium". Froggattina.

467. Low-lying swampy area.
Austrolyris guttulosa, *Bermius* sp.,
E. coolabah to 20ft., *Acacia*
Schizobothrys flavovittata, *Aclopus*
stenophylla to 15ft., *Acacia*
thalaspinus, *Monistria pustulifera*
Luechia cunninghamii to 6ft.,
occ. *Acacia salicina*, *Welch*.
Grasses & swampy plants to
1ft. Sanda.

469. Kooloowale Ck.

471. Culgoa River

474. Toobee Ck

479. Drombardi

490. Brown sand flat. E.
(40ft),
Populus *falcata* *uniloba*, *Acacia*
Cedania sp., *Oedaleus australis*, *Macrotoma*
excelsa, *Callirrhoe glauca*, occ.
sp., *Peakesia* sp., *Froggattina australis*,
Burdah, mottled orange. Rather
Genus nov. 5 sp.
thin pasture of various species,
including "Paspalidium" grasses,

especially under trees. Bassia
kerchia in patches. Aiolopus,
Heteropteris, Acrida, ~~A~~ Australis,
guttulosa.

7508. Atalaya, Lendesca, mulga,
Macrolophidia sp. Owenia acicula.
 Ventilago, occ. huddah, ~~Acacia~~,
 wild orange, on grey-brown clay
 loam flat. Chloris acicularis
 to 8 in, scattered Bassia quinque
cuspis, Rhagodia spp. & creeping
Shipleya spp. Some bare ground.
Aiolopus, Chot. Dedaleus.

520 Hebel

527. Low ridge with slight
 outcropping of conglomerate. Brown
 with dense quartz gravel
 sandy loam. E. populifolia, mulga,
Siphanta quadrifolia, Dedaleus australis,
E. melanophloea, Acacia excelsa,
Chortoicetes terminifera, Macrotoma sp. b.,
 occ. mulga, huddah. Anshda
Pycnostictus senatus, ^{genus nov.} 5 sp.,
 sp. to 9 in, occ. Calopaldium
 granile, Heteropteris obscurata (j.)
 under trees. Hebeophorus (j.).

533 Tongled & sl

Turned back

535 Turned off to Lightning
Ridge - Walgett.